



MICRONEEDLING FACIAL

CONTRAINDICATIONS

- Active cold sores, herpes simplex in the area to be treated.
 - History of keloid scarring.
- Pregnancy/Breast Feeding
 - Aspirin allergy
 - Chemical allergies
 - Antibiotics
- History of radiation therapy in the area to be treated (please make me aware)
 - Skin cancers
 - Rosacea - if inflamed.
- Skin Infections - Pre-existing inflammatory dermatoses (e,g psoriasis) -
Open wounds on the area to be treated.



MICRONEEDLING FACIAL

PRE TREATMENT

- Stop Retin-A (retinol etc) products for a week before your appointment
- Avoid having any sort of chemical peel or microdermabrasion treatment within 2 weeks of your appointment unless supervised by your practitioner.
- No waxing, electrolysis, depilatory creams or shaving for a week prior to your appointment.
- There must be at least a 2-week gap between treatment and Injectables including Fillers, Muscle inhibitors and Derma needling treatments.
- Steroid creams, topical and oral antibiotics, and the use of Roaccutane will prevent treatment.
- Please advise us of any medical changes at each appointment including pregnancy and breast feeding.



MICRONEEDLING FACIAL

POST TREATMENT

- Refrain from touching the skin
- Redness should subside over a 24-36 hour period
- Gently wash skin (no scrubbing)
- No AHA's or BHA's for a week post treatment
- Avoid the use of saunas, steam rooms or sunbeds and don't engage in any strenuous exercise for 10 days post treatment.
- Do not apply any makeup for 24 hours.
- Apply SPF50 daily with reapplications
- Avoid electrolysis, waxing, bleaching and depilatory creams a week post treatment.